Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Gila National Forest 2016 Firewood Guide

With Permit Cutting and Removing Instructions and Maps for January 1 — December 31, 2016


ATTENTION: YOU ARE SUBJECT TO INSPECTION.

The permit is not transferable. By signing this permit, the permittee, or designated cutter hereby consents to being stopped and inspected by any forest officer, State peace officer, Federal law enforcement officer, or any official of the New Mexico Department of Forestry while cutting, possessing or transporting firewood.

When cutting and transporting firewood on or from the Gila National Forest, permittees or their designated cutters must have in their possession:

- 1) this firewood guide with the cutting and removing instructions and maps;
- 2) the Forest Product Permit issued to the permittee; and
- 3) the firewood removal tags given with that permit.

Live, green trees may be cut and removed only from within the designated green firewood cutting areas that are listed in this firewood guide.





Woodcutting Checklist

- Have Your Permit This includes the printed permit, cutting and removing instructions from the 2016 Firewood Guide, Green Firewood Area Maps from the 2016 Firewood Guide (if cutting green firewood), and removal tags.
- Check road conditions and closures.
- Study the cutting area maps. It is also recommended that you have a Gila National Forest Visitor Map and Travel Management Map.
- Let someone know where you're going and when you'll be back.
- A chain saw, an axe, wedges, shovel, fire extinguisher, and a first aid kit.
- Fill out "Product Quantity Removal Record" portion of the permit.
- Check Motorized Vehicle Map to ensure you travel on open roads.

Contents

N. 11 - 11 - 11 - 11 ,

Or Dienter 1 19

Firewood Cutting and Gathering Information on the Gila National Forest	4-5
Dead Firewood Information	6-7
Green Firewood Information	8
Gila National Forest Designated Firewood Cutting Areas Map	9
Filling In Permit and Firewood Gathering Information	10-11
Corduroy Canyon Green Firewood Area, Black Range Ranger District	12-13
Divide Green Firewood Area, Quemado Ranger District	14-15
Dead Horse Canyon Green Firewood Area, Quemado Ranger District	16-17
Cold Springs Green Firewood Area, Reserve Ranger District	18-19
Martinez Green Firewood Area, Reserve Ranger District	20-21
Roadside Designated Free Personal Use Area	22-23
Shantie Green Firewood Area, Reserve Ranger District	24-25
Georgetown Green Firewood Area, Silver City Ranger District	26-27
Willow Green Firewood Area, Silver City Ranger District	28-29
North Star Green Firewood Area, Wilderness Ranger District	30-31
McKnight Dead/Down Fuelwood Area, Wilderness Ranger District	32-33
Cedar Breaks Dead/Down Fuelwood Area, Glenwood Ranger District	34-35
Deep Creek Dead/Down Fuelwood Area, Glenwood Ranger District	36-37
Snare Mesa Dead/Down Fuelwood Area, Glenwood Ranger District	38-39

Note: The maps in this firewood guide are reproduced from geospatial information prepared by the U.S. Department of Agriculture, Forest Service. GIS data and product accuracy may vary. They may be: developed from sources of differing accuracy; accurate only at certain scales; based on modeling or interpretation; incomplete while being created or revised, etc. Using GIS products for purposes other than those for which they were created may yield inaccurate or misleading results. The Forest Service reserves the right to correct, update, modify or replace GIS products without notification. For more information, contact the Gila National Forest supervisor's office GIS department at (575) 388-8223. Projection: UTM Zone 12 NAD 83.

Firewood Cutting on the Gila National Forest

Welcome . . .

to the Gila National Forest. We hope you enjoy your wood gathering experience. Please contact the nearest district office if you have any questions about firewood.

- Information in this guide and permits detailed herein applies to forest lands within the Gila National Forest and the portion of the Apache National Forest administered by the Quemado Ranger District and parts of Glenwood Ranger District, Gila National Forest.
- To cut or transport wood from the Gila National Forest, you must have a printed permit, the Dead and/or Green Firewood Cutting and Removing Instructions from this 2016 firewood guide, the Green Firewood Area Maps from this 2016 firewood guide if cutting green firewood, and removal tags that have been properly completed (see directions for removal tags on pages 2, 4, and 6 of this guide). Without ALL of these, you are illegally taking firewood which can result in the loss of your permit, loss of any wood you have cut, up to a \$5,000 fine, and 6 months in jail.
- The Gila National Forest has published its Motor Vehicle Use Map (MVUM) which triggers the implementation of the travel management plan. The travel management plan designates a system of roads, trails, and areas open to the public for motor vehicle use. All permit holders are responsible for adhering MVUM and any directions for motorized uses provided in the Firewood guide.
- Please stay on existing roads. During wet and muddy conditions, please wait to cut on another day when roads are drier. Firewood gathering may occur along open motor vehicle use designated roads. Motor vehicles may be parked one vehicle length, including any towed trailer, from the edge of the road surface when it is safe to do so without causing damage to NFS resources or facilities, unless prohibited by state law, a traffic sign, or an order (36 CFR261.54).
- "For safety reasons, no felling of trees on road, or impeding of traffic is allowed on any U.S. or New Mexico state highway.

- All firewood areas are in natural forest terrain
 with no modifications for handicap accessibility.
 Make sure that you know your limits and work
 within your abilities. Firewood cutting can
 be fun, but it is also hard work. Be sure that
 you and your equipment are in good working
 condition.
- The firewood season on the Gila national Forest is from January 1 through December 31. The availability dates of fire seasons and forest wide dead and down permit may change in 2016.

Firewood permits may be obtained at these Gila National Forest offices:

Gila National Forest Supervisor's Office

3005 E. Camino del Bosque Silver City, NM 88061 (575) 388-8201 www.fs.usda.gov/gila

Black Range Ranger District

1804 Date Street Truth or Consequences, NM 87901 (575) 894-6677

Glenwood Ranger District

P.O. Box 8 Glenwood, NM 88039 (575) 539-2481

Quemado Ranger District

P.O. Box 159 Quemado, NM 87829 (575) 773-4678

Reserve Ranger District

P.O. Box 170 Reserve, NM 87830 (575) 533-6231

Silver City Ranger District

3005 E. Camino del Bosque Silver City, NM 88061 (575) 388-8201

Wilderness Ranger District

HC 68, Box 50 Mimbres, NM 88049 (575) 536-2250

For more Information on the Gila National Forest, visit us at:

www.fs.usda.gov/gila



Dead Firewood Information

Cutting and Removing Instructions for Dead Firewood Areas

When cutting or transporting dead firewood on or from the Gila National Forest, permittees or their designated cutters must have in their possession these Cutting and Removing Instructions along with the Forest Product Permit for Firewood issued to the permittee and the firewood removal tags given with that permit. These instructions are incorporated as an integral part of Firewood Permits issued on the Gila National Forest (refer to Other Conditions on the Forest Product Permit).

This Firewood Permit is valid forestwide (except in prohibited areas) for cutting and removing any species or size of dead wood lying on the ground; for cutting and removing dead standing juniper of any size; and for cutting and removing dead standing douglas fir, ponderosa pine or pinyon pine that is less than 12 inches diameter root crown (d.r.c.). Diameter root crown (d.r.c.) is measured between the ground line and 12 inches above the ground line..

Additional specific instructions are:

- For a Firewood Permit, the product designation species listed on the permit will be "Other Softwood" for soft species of wood and "Combined Hardwood" (oak) for hard species of wood.
- No standing live or dead oak may be cut.
- A dead tree is defined as one having no live branches, limbs, needles or leaves. You may not cut dead limbs from live trees.
- Load removal tags sufficient for the amount of wood on the vchicle must be attached to the rear of the load prior to removal of firewood from the cutting site. These tags must have the date of removal cut or punched into the tag. Load removal tag numbers must match the numbers printed on the permit. Individual load removal tags may not be used more than once.
- Stumps shall be cut as low to the ground as is practical, and in no case higher than 12 inches.
 Portions of wood that have been cut and not used (slash) shall be cut and scattered to no more than 24 inches high off the ground. Remove slash from roads, fences, and other improvements.
- Do not cut any logs, log piles, or snags in active timber sale areas or where posted with signs.

- Trees or logs marked with paint or tagged as wildlife trees, bearing trees, or with transect location signs shall not be cut.
- No felling of trees on road, or impeding of traffic is allowed on any paved road U.S. or New Mexico state highway.
- To protect wildlife species and riparian habitat, do not cut within 100 feet of the centerline of any stream.
- Firewood cutting and removing is prohibited in any area posted as closed and in the following areas, whether posted or not:
 - ⇒ On the Black Range Ranger District, the following areas are closed to cutting and removing of firewood: Emory Pass Overlook, Kingston Campground, Beaverhead Administrative Area, Kingston Administrative Areas, Monument Park Cabin Administrative Area, Straight Gulch Administrative Area, Wolf Hollow Trailhead, Lookout Mountain Tower, Hillsboro Peak Tower, Black Mountain Tower, and Aldo Leopold Wilderness.
 - On the Glenwood Ranger District, the following areas are closed to cutting and removing of firewood: Bighorn, Cottonwood, and Whitewater Picnic Area and Catwalk National Recreation Trail, Glenwood District Administrative Areas, Gila Wilderness, and Blue Range Wilderness.
 - ➡ On the Quemado Ranger District, the following areas are closed to cutting and removal of fire wood: Administrative areas and Campgrounds: Armijo Springs, Head of the Ditch, Valle Tio Vinces, Quemado District Office, Luna Work Center, Jewett Gap Administrative site and Swenson Place. The following Natural Research Areas and National Recreation Areas: Agua Fria, Largo Mesa, and Quemado Lake Recreation Area comprised of: El Caso, Juniper, and Pinon Campgrounds.
 - ➡ On the Reserve Ranger District, the following areas are closed to cutting and removing of firewood: Ben Lilly, Dipping Vat, Gilita, and Willow Creek Campgrounds, Snow Lake, Apache Creek Camping Site, Pine Lawn Rest Area, Reserve District Administrative Areas, and Negrito Work Center Administrative Areas.

These cutting and Removing Instructions for Firewood Areas are a required part of your permit.

- ⇒ On the Silver City Ranger District, the following areas are closed to cutting and removing of firewood: Cherry Creek, Gallinas, Iron Creek, McMillan, and Railroad Campgrounds, Little Walnut and Wrights Cabin Picnic Areas, Little Walnut Group Use Area, Gila River Bird Area, and Fort Bayard Refuge.
- ➡ On the Wilderness Ranger District, the following areas are closed to cutting and removing of firewood: Scorpion, Upper Black Canyon, Lower Black Canyon, Rocky Canyon, Mesa, Lake Roberts Picnic Area, Upper End, and Sapillo Group Area Campgrounds, Gila Wilderness, Aldo Leopold Wilderness, Wilderness District Administrative Sites, Gila Cliff Dwellings National Monument, Gila Visitor Center and Administrative Areas, TJ Ruins, and NM State Hwy. 15 corridor (approximately 1/2 mile of non-wilderness designated areas on either side of Hwy. 15 from the junction with Hwy. 35 north to the Gila Visitor Center).
- Permit holders may employ or enlist someone other than themselves to harvest firewood. The permit holder must write on the permit in the remarks block the name of the person designated to cut for them.
- Operate only when ground is dry enough to prevent rutting greater than 3 inches in depth. Do not drive on roads when damage to soil or roads may occur.
- Due to the risk of damage to fragile soils, no cutting is permitted on slopes of 40 percent or greater.

- Vehicles and power saws are subject to inspection by forest officers. Failure to allow inspections shall be cause to cancel the permit. All power saw mufflers shall be operable and equipped with an approved spark arrester with a screen size no larger than 0.023 inch. All vehicles shall be equipped with approved mufflers or spark arresters.
- Bad weather, fire closures, or court-imposed injunctions are not grounds for permit refunds or extension of permits.
- During the fire season, usually from April 1
 through November 30, time and/or cutting
 restrictions may be imposed on this permit.
 Between these dates, it is the permittee's
 responsibility to become informed of predicted
 fire danger and restrictions. It is suggested
 that the permittee contact the appropriate
 district office for current information. A general
 description of the applicable fire precaution
 schedule follows:

Fire Precaution Schedule		
Posted Fire Danger	Action Description	
Low to Moderate	Normal fire precautions	
High, Very High, and Extreme	Contact district prior to cutting for possible area closures and permit restrictions.	

Green Firewood Area

Cutting and Removing Instructions for Green Firewood Areas

When cutting or transporting green firewood on or from the Gila National Forest, permittees or their designated cutters must have in their possession these cutting and removing instructions. These instructions are incorporated as an integral part of Firewood Permits issued on the Gila National Forest (refer to Other Conditions on the Forest Product Permit).

This Green Firewood Area is valid for:


- Within the Corduroy, Divide, Cold Springs and North Star Green Firewood Cutting Areas: cutting of live, green pinyon, juniper and ponderosa pine trees, 12 inches in diameter root crown (d.r.c.) or less.
- Within the Burros Green Firewood Cutting Area: cutting of live, green pinyon trees 12 inches d.r.c. or less. No live, green juniper trees may be removed from the Burros Green Firewood Cutting Area.
- Within the Martinez Green Firewood Area: cutting of live, green pinyon pine up to 18 inches d .r .c .; juniper, with the exception of alligator juniper species, up to 18 inches d .r .c .; live, green alligator juniper up to 12 inches d.r.c. for a single stemmed tree and up to 18 inches d.r .c. for multiple stemmed trees; and live, green ponderosa pine trees up to 12 inches d.r.c.. No live, green oak trees may be cut or removed from the Martinez Firewood Area. Cutting and removal of any species or size of dead wood lying on the ground, including old or fresh project thinning slash is authorized with a firewood permit in areas designated on the map. Diameter root crown (d.r .c .) is measured between the ground line and 12 inches above the ground line.
- · No standing live oak may be cut.

Additional specific instructions are:


- For a Firewood Permit, the product designation species listed on the permit will be "Combined Softwood."
- You may cut and remove live, green trees only from within the designated green firewood cutting areas that are listed in this guide. A valid Firewood Permit must be in the possession of the permittee or their designated cutter if live, green trees have been cut and removed from the forest. It is the permittee's responsibility to ensure that the live, green trees are cut and removed from the designated green firewood cutting areas listed in this guide.
- It is the permittee's responsibility to be sure that any live, green trees cut are the correct species and size.
- Load removal tags sufficient for the amount of wood on the vehicle must be attached to the rear of the load prior to removal of firewood from the cutting site. These tags must have the date of removal cut or punched into the tag. Load removal tag numbers must match the numbers printed on the permit. Individual load removal tags may not be used more than once.
- Stumps shall be cut as low to the ground as is practical, and in no case higher than 12 inches. Portions of wood that have been cut and not used (slash) shall be cut and scattered to no more than 24 inches high off the ground. Remove slash from roads, fences, and other improvements.
- Do not cut any logs, log piles, or snags in active timber sale areas or where posted with signs.
- Trees or logs marked with paint or tagged as wildlife trees, bearing trees, or with transect location signs shall not be cut.
- No felling of trees on road, or impeding of traffic is allowed on any paved road U.S. or New Mexico state highway. Within the Burros Green Firewood Cutting Area, do not cut within 150 feet of the centerline of roads shown on the Burros Green Firewood Cutting Area Map.
- To protect wildlife species and riparian habitat, no cutting is permitted within 100 feet of the centerline of any stream.
- Firewood cutting and removing is prohibited in any area posted as closed and in the following areas, whether posted or not unless with specific authorization:

Areas As Described On Page 6 & 7

Gila National Forest Designated Firewood Cutting Areas



Filling In Your Permit and Load Tag




How Much Wood Do I Have?

You've been cutting most of the day, and your truck or trailer is now loaded with firewood. So, how much wood do you actually have? Here are some guidelines to help you get the amount of wood you paid for.

A 1/4-ton small pickup truck will hold 1/4 cord of wood when the load is piled up above the bed of the truck.

Measuring the Diameter Root Crown

Diameter root crown (d.r.c.) is measured between the ground line and 12 inches above the ground line.



A 1/2-ton pickup with a short bed, or a step-side bed, will also hold 1/4 cord of wood when it is loaded to the top of the bed. All of these loads would require one 1/4-cord tag separated, notched, and attached to the load.

On average, a full bed pickup truck holds 1/2 cord of firewood when it is filled to the top of the bed. This load would require two 1/4-cord tags separated, notched, and attached to the load.

A full bed truck with rails will hold 1 cord of wood when it is loaded level with the roof of the truck from the cab to the tailgate. This load would require four 1/4-cord tags separated, notched, and attached to the load.

Diameter or Circumference?

Diameter is the distance across the end of the log.

Circumference is the distance around the log.

To measure a tree before it is cut, you will need to measure its circumference.

Here are conversions from diameter to circumference:

6 inches diameter = 1 foot, 6 inch circumference


8 inches diameter = 2 foot, 1 inch circumference

9 inches diameter = 2 feet, 4 inch circumference

10 inches diameter = 2 feet, 7 inch circumference

12 inches diameter = 3 feet, 1 inch circumference

16 inches diameter = 4 feet, 2 inch circumference



How Much Wood in a Cord?

Dimensions:

One cord = 8 feet long x 4 feet wide x 4 feet deep.


Volume in Cubic Feet:

One cord = 128 cubic feet =

8 feet (length) x 4 feet (width) x 4 feet (height).

Black Range Ranger District Green Firewood Cutting Area

Corduroy Canyon



Corduroy Canyon Green Firewood Area Black Range Ranger District

Travel Directions and Area Boundaries

The area is accessed from the south by turning off of NM Highway 59 onto Forest System (FS) Roads 231 or 521. All roads entering the private land north of the firewood area have locked gates.

The area is bordered on the south by NM Highway 59; on the east by FS 521; on the west by FS 231; and on the north by private land (Adobe Ranch).

The boundary of the firewood area is not painted.

The firewood area is posted with firewood boundary signs at the following locations: the intersection of NM Highway 59 and FS 521; the intersection of FS 231 and NM Highway 59; and the intersection of NM Highway 59 and FS 677.

Available Wood

Live pinyon pine and juniper trees up to 12 inches in diameter root crown (d.r.c.) and dead standing or dead/down trees as specified in this guide may be cut.


Do not cut green douglas, fir, oak or western white pine.

Leave trees are not marked.

It is the permittee's responsibility to be sure that any live, green trees cut are the correct species and 12 inches d.r.c. or less.

Cut stems and branches to lie within 2 feet of the ground.





Divide Green Firewood Area Quamado Ranger District

Travel Directions and Area Boundaries

The area is accessed from Apache Creek, NM, by traveling about 9 miles east on NM Highway 12 to Forest System (FS) Road 17 (Sand Flat turnoff). The area is located north of NM Highway 12 and east of FS 17.

The area is accessed from Horse Springs, NM, by traveling about 8 miles west on NM Highway 12 to FS 214 (turnoff to Valle Tio Vinces and Mangas Mountain). Take FS 214 north 1.75 miles to the firewood area boundary. The area is north of the boundary and west of FS 214.

The area of 25,000 acres is bounded by a combination of Forest Service Roads, State Roads, County Roads, and fence lines. The south is bounded by NM Highway 12 excluding private property and the Gila National Forest Boundary Fence (signed). The west is bounded by Catron County road B032 and FSR 171. The north boundary begins at the junction of FSR171 to Catron County Road A095 (FSR 214). The east boundary follows county road A095 to the Gila National Forest boundary.

Available Wood

Live pinyon pine, alligator juniper, and shaggy bark juniper trees up to 12 inches in diameter root crown (d.r.c.) and dead standing or dead/down trees as specified in this guide may be cut. Both pinyon and juniper are abundant, but are small diameter trees.

Do not cut green ponderosa pine, fir, or oak.


Leave trees are not marked.

It is the permittee's responsibility to be sure that any live, green trees cut are the correct species and 12 inches d.r.c. or less.

Cut stems and branches to lie within 2 feet of the ground.

Quemado Ranger District Green Firewood Cutting Area

Dead Horse Canyon



Dead Horse Canyon Green Firewood Area Quemado Ranger District

This area is open from April 1, 2016- December 31, 2016

Travel Directions and Area Boundaries

Dead Horse Canyon Green Firewood Area is 260 acres of Pinon and Juniper. **This area is open from April** 1, 2016 to December 31, 2016.

The north boundary is FDR 93 Dead Horse Canyon Road. The east boundary is west of the Continental Divide Trail, and is signed and painted in orange. The south boundary is a fence line, which is signed. This area is bounded on the west by FSR 4017L.

Access to this area is off of FDR 93 and FSR 4017L.

Available Wood

Pinon and juniper of any size.

Cutting is prohibited in the leave tree islands, which are marked in orange.


Do not cut green ponderosa pine, fir or oak.

It is the permittee's responsibility to be sure that any live green trees cut are the correct species.

Cut all stems and branches to lie within 2 ft. of the ground.

Reserve Ranger District Green Firewood Cutting Area

Cold Springs



Cold Springs Green Firewood Area Reserve Ranger District

Travel Directions and Area Boundaries

The area is accessed by turning off of NM Highway 12 about 2 miles northeast of Reserve, NM, onto Forest System (FS) Road 233 or by turning off of NM Highway 12 near Apache Creek, NM, onto either FS 94 or FS 289. There are several roads in the area that provide access to the interior of the firewood area.

NM Highway 12 is the southwest to northwest boundary of the area. The northeastern boundary is FS 289 to FS 4035 to the junction of FS 94. The boundary continues along FS 94 for about 2 miles where it crosses Deep Canyon onto FS 4166 at the southeast boundary. At the southeast end, the boundary follows FS 4166 to FS 233. FS Road 233 and Wilson Canyon form the boundary on the southeast side.

No cutting is allowed on parcels of private land within the area.


Available Wood

Live pinyon pine and juniper trees up to 12 inches in diameter root crown (d.r.c.) and dead standing or dead/down trees as specified in this guide may be cut. Alligator juniper is small to medium in size. Pinyon pine is abundant.

Do not cut green ponderosa pine, fir, or oak.

It is the permittee's responsibility to be sure that any live, green trees cut are the correct species and 12 inches d.r.c. or less.

Cut stems and branches to lie within 2 feet of the ground.



Martinez Green Firewood Area Reserve Ranger District

Travel Directions and Area Boundaries

The area is accessed from Reserve, NM, by traveling about 1.7 miles west on NM Highway 12; from Luna, NM, by traveling about 11 .5 miles south on U .S . Highway 180; and from Alma, NM, by traveling about 21.6 miles north on U.S. Highway 180. There are several roads in the area that provide access to the interior of the firewood area (see map). A firewood area sign will indicate when you are entering the cutting area.

The exterior boundary of the firewood area is not painted. The ridgeline to the north and east of Gordon Canyon is the boundary to the south; CAT -B006 and FS Road 4042N (Mail Trail) is the boundary to the west/northwest; and the boundary to the east is FS Road 33 and FS Road 4040M (lower Leggett loop) Designated Project Thinning Slash area boundaries are painted in orange paint.

Available Wood

Green Wood Area

Live pinyon pine and juniper, with the exception of alligator juniper species, up to 18 inches in diameter root crown, live alligator juniper up to 12 inches diameter root crown for a single stemmed tree and up to 18 inches in diameter root crown for multiple stemmed trees, live ponderosa pine trees up to 12 inches diameter root crown, and dead standing or dead down trees as specified in this guide may be cut authorized with a firewood permit.

Do not cut live oak trees.

Leave trees are not marked.

It is the permittee's responsibility to be sure that any live, green trees cut are the correct species and cut to the correct diameter limits.

Cut stems and branches to lie within 2 feet of the ground.


Designated Project Thinning Slash

Any species or size of dead wood lying on the ground, including old or fresh project thinning slash is authorized in areas designated on the map.

Do not cut live trees in designated project thinning slash areas within the Martinez firewood Area.

Cut stems and branches to lie within 2 feet of the ground.

Roadside Designated Free Personal Use Area



Roadside Designated Free Personal Use Area

Travel Directions and Area Boundaries

The area is accessed from Reserve, NM, by traveling about 22 miles on FS 141 to FS road 28 (Bursum Road) and then about 7 miles to the area; and from Glenwood, NM, by traveling about 14 miles on NM-159 (Bursum Road) to the area. A high clearance vehicle may be needed to access the area from Glenwood on NM-159. This access way is seasonally closed. Contact the highway department for road closure information (see map). A firewood area sign will indicate when you are entering the cutting area.

The exterior boundary of the area is not painted. Cutting and removal is authorized for 100 yards on either side of FS road 119 (Claremont Road) beginning at the intersection of FS road 28 (Bursum Road) and ending at the intersection of FS road 153 (Deep Creek Road); for 100 yards on either side of FS road 153 (Deep Creek Road) beginning at the intersection of FS road 119 (Claremont Road) and ending at the intersection of NM-159 (Bursum Road; and for 100 yards on either side of NM-159 (Bursum Road) beginning at the intersection of FS road 153 (Deep Creek Road) and ending at Sandy Point (trails 182 and 201).

This area burned in the 2012 Whitewater-Baldy wildfire. Wood gatherers are advised to use caution while collecting and traveling through areas with standing dead trees especially if there is any wind present. Fire damaged trees can fall at any time. Be cautious while in the area, especially if there is any wind present.

Available Wood


Any species or size of dead standing wood, dead wood lying on the ground, and dead wood in decks or piles is authorized with either a paid dead firewood or free use permit in areas designated on the map. This includes both painted and unpainted dead trees.

Do not cut any live trees.

Cut stems and branches to lie within 2 feet of the ground.

Reserve Ranger District Green Firewood Cutting Area

Shantie



Shantie Green Firewood Area Reserve Ranger District

Travel Directions and Area Boundaries

From Reserve: Head south on Hwy 435 for 5.2 miles. Continue onto Forest Road 141 for 29.3 Miles to Forest Road 28. Go North on Forest Road 28 to Forest Road 30. There are several roads in the area that will provide access to the interior of the firewood area (See Map). A firewood area sign will indicate when you are entering the cutting area.

From Apache Creek: From Hwy 12 take Forest Road 94. Take Forest Road 94 for 23.3 miles to Forest Road 28. Take Forest Road 28 to Forest Road 30. There are several roads in the area that will provide access to the interior of the firewood area (See Map). A firewood area sign will indicate when you are entering the cutting area.

From Datil: Take Hwy 12 West for 34.2 miles to County Road B-019 (Bursum Rd). Continue South to County Road B-054. Take B-054 West for to Forest Road 28. Take Forest Road 28 to Forest Road 30. There are several roads in the area that will provide access to the interior of the firewood area (See Map). A firewood area sign will indicate when you are entering the cutting area.

The exterior boundary of the firewood area is not painted. The following roads form the boundary of the firewood area: Forest Roads 28, 30, 4047R, 4047O, 4047U, and 4048Y as shown on the Shantie firewood map. Travel off road for firewood gathering is authorized in the area shown on the firewood map.

Available Wood

Green Wood

Live pinyon pine and juniper, with the exception of alligator juniper species, up to 18 inches in diameter root crown, live alligator juniper up to 12 inches diameter root crown for single stemmed tree and up to 18 inches in diameter root crown for multiple stemmed trees, live ponderosa pine trees up to 12 inches diameter root crown and dead standing or dead down trees as specified in this guide may be cut authorized with a firewood permit.

Do not cut gamble oak trees.

Gray Oak, up to 6 inches diameter root crown for single stemmed and Gray Oak up to 12 inches diameter root crown for multiple stemmed may be gathered.

Leave trees are not marked

It is the permittee's responsibility to be sure that any live, green trees cut are the correct species and cut to the correct diameter.


Cut stems and branches to lie within 2 feet of the ground.

Designed Project Thinning Slash

Any species or size of dead wood lying on the ground including old or fresh project thinning slash is authorized.

Silver City Ranger District Green Firewood Cutting Area

Georgetown



Georgetown Green Firewood Area Silver City Ranger District

Cross country travel is permitted for the purpose of firewood cutting

Travel Directions and Area Boundaries

The area is accessed from NM Highway 152, approximately 2 miles East of Hanover turn North onto County Road G 3-29(Georgetown Rd.).

The West boundary is the Forest boundary.

The South boundary is the Forest boundary, the private property boundary and Grant County Road G 3-29 (Georgetown Rd.).

The East boundary is Forest Service Road 4085 G.

The North boundary is Forest Service Road 4085 E, Forest Service Road 777, and Forest Service Road 4203 H.

The area boundaries are marked with orange paint.

A high clearance, 4-wheel drive vehicle is

recommended for traveling off road.

The area is not accessible during wet muddy conditions.

Available Wood

Live pinyon pine and juniper trees up to 12 inches diameter at root collar (DRC).

Standing dead trees or dead & down trees as specified in this guide.

Do not cut green ponderosa pine, or oak trees.

Do not cut any trees marked in orange paint, regardless of size or species. These are wildlife habitat patches and travel corridors.

It is the permit holder's responsibility to be sure that any trees cut are the correct species and size.


It is the permit holder's responsibility to be sure that they are cutting within the unit.

Cut stems and branches to lie less than 1 foot off the ground.

Cut stumps to within 6 inches of the ground.

Silver City Ranger District Green Firewood Cutting Area

Willow



Willow Green Firewood Area Silver City Ranger District

Cross country travel is permitted for the purpose of firewood cutting

Travel Directions and Area Boundaries

The area can be accessed from NM Highway 180 and NM Highway 90.

Take Highway 180 approximately 12 miles West of Silver City and turn South onto County Road G 4-22 (Mangus Valley Rd.), after approximately 5 miles turn West onto Grant County Road G 4-24 (Redrock Rd.), after approximately 4 miles turn South onto Forest Service Road 819.

Take Highway 90 approximately 12 miles South of Silver City and turn West onto Grant County Road G 4-2 (Tyrone-Thompson Rd.), after approximately 10 miles continue North on Grant Country Road G 4-6 (Forest Ridge Rd.).

The West boundary is Grant County Road G 4-2 (Tyrone-Thompson Rd.).

The South boundary is Forest Service motorized trail number 905 and maverick canyon.

The East boundary is Forest Service Road 819 and the private property boundary.

The North boundary is sawmill canyon.

The area boundaries are marked with orange paint.

A high clearance, 4-wheel drive vehicle is recommended for traveling off road.

The area is not accessible during wet muddy conditions.

Available Wood

Live pinyon pine and juniper trees up to 12 inches diameter at root collar (DRC).

Standing dead trees or dead & down trees as specified in this guide.

Do not cut green ponderosa pine, or oak trees.

Do not cut any trees marked in orange paint, regardless

of size or species. These are wildlife habitat patches and travel corridors.

It is the permit holder's responsibility to be sure that any trees cut are the correct species and size.


It is the permit holder's responsibility to be sure that they are cutting within the unit.

Cut stems and branches to lie less than 1 foot off the ground.

Cut stumps to within 6 inches of the ground.

Wilderness Ranger District Green Firewood Cutting Area

North Star



North Star Green Firewood Area Wilderness Ranger District

Cross country travel is permitted for the purpose of firewood cutting

Travel Directions and Area Boundaries

The area is accessed from NM Highway 35 about 5 miles northwest of the Wilderness District Ranger Station. Turn east onto Forest Service Road 150, also known as North Star or Wall Lake Road.

The area consists of the mesa tops on either side of Forest Service Road 150.

The south boundary is Forest Service Road 4080 B and the ridge east of Forest Service Road 4080 B.

The north boundary is approximately 200 yards north of Forest Service Road 4080 R.

The area boundaries are not marked.

A high clearance, preferably 4-wheel drive vehicle is recommended in traveling off Forest Service Road 150.

The area is not accessible during wet muddy conditions.

Available Wood

Live pinyon pine and juniper trees up to 12 inches diameter at root collar (DRC).

Standing dead trees or dead & down trees as specified in this guide. A greenwood permitted is required to cut deadwood in the North Star Green Firewood Area.

Do not cut green ponderosa pine, or oak trees.

Do not cut any trees marked in orange paint, regardless of size or species. These are wildlife habitat patches and travel corridors.


It is the permit holder's responsibility to be sure that any trees cut are the correct species and size.

Cut stems and branches to lie less than 1 foot off the ground.

Cut stumps to within 6 inches of the ground.

Wilderness Ranger District Dead Firewood Cutting Area

McKnight



McKnight Dead Firewood Area Wilderness Ranger District

Cross country travel is permitted for the purpose of firewood cutting

Travel Directions and Area Boundaries

The area is accessed from NM Highway 35 about 1.25 miles northwest of the Wilderness District Ranger Station. Turn east onto Forest Service Road 152, also known as McKnight Road.

The area consists of the mesa tops on either side of Forest Service Roads 152, 4086P, 4086Q 4086t, 4086U, 4086Vand 4204B.

The west boundary is approximately a quarter mile (0.25) miles west of Forest Service Road 4086P.

The east boundary is approximately a quarter mile (0.25) miles west of Forest Service Road 4086V.

The area boundaries are not marked.

A high clearance, preferably 4-wheel drive vehicle is recommended in traveling off Forest Service Road 152.

The area is not accessible during wet muddy conditions.

Available Wood

Standing dead trees or dead & down trees as specified in this guide.

Do not cut any trees marked in orange paint, regardless of size or species. These are wildlife habitat trees.


It is the permit holder's responsibility to be sure that any trees cut are the correct species and size.

Cut stems and branches to lie less than 2 feet off the ground.

Cut stumps to within 6 inches of the ground.

Glenwood Ranger District Dead/Down Fuelwood Area

Cedar Breaks



Cedar Breaks Fuelwood Area Glenwood Ranger District

The Cedar Breaks Fuelwood area is on the east side of Highway 180, seven miles north of Glenwood, N.M. Dead and down alligator and shaggy bark juniper were mechanically pushed over in this area. Dead and Down Fuelwood gathering is permitted within this area, as specified in the guide. There are three mechanically pushed areas within this Fuelwood area.

Travel Directions and Area Boundaries

For the Alma Flats unit travel north on Highway 180 from Glenwood NM, approximately 7 miles (MM 45), turn east on Forest Road 4329. Pushed areas start at the fence line. Driving cross country to retrieve Fuelwood is permissible.

For the Potholes unit travel north on Highway 180 from Glenwood NM, approximately 9 miles (MM 45), turn east on County Road 036. Pushed areas start at the fence line, on both sides of CR 036. Driving cross country to retrieve Fuelwood is permissible.

For the Stout Mesa unit travel north on Highway 180 from Glenwood NM, approximately 9 miles (MM 45), turn east on County Road 036. Drive approximately 4 miles to the junction with Forest Road 715A, and then to FR 4056I. Pushed areas encompass most of the mesa. Driving cross country to retrieve Fuelwood is permissible.

The area boundaries are not marked.

The area is not accessible during wet conditions

Cut stems and branches to lie within 2 feet of the ground.


Available Wood

Dead and/or Down juniper and pinon trees in mechanically pushed areas.

Standing dead trees or dead & down trees as specified in this guide.

Glenwood Ranger District Dead/Down Fuelwood Area

Deep Creek



Deep Creek Dead/Down Fuelwood Area Glenwood Ranger District

The Deep Creek Fuelwood area is on the east side of Highway 180, nine miles north of Glenwood, N.M. Dead and Down Fuelwood gathering is permitted within this area, as specified in the guide. Dead and down alligator and shaggy bark juniper were mechanically pushed over in this area.

Travel Directions and Area Boundaries

From Glenwood N.M. travel north on Highway 180, approximately 9 miles (MM 43), turn east on County Road 036 for approximately 4 miles, to the junction of Forest Road 4056Z. Follow FR 4056Z for 4 miles to the pushed areas. Driving cross country within the pushed areas to retrieve Fuelwood is permissible.

The area boundaries are not marked.

The area is not accessible during wet conditions

Cut stems and branches to lie within 2 feet of the ground.


A high clearance, preferably 4-wheel drive vehicle is recommended for accessing the area.

Do not cut any trees marked in orange paint, regardless of size.

Available Wood

Dead and/or Down juniper and pinon trees in pushed areas.

Standing dead trees or dead & down trees as specified in this guide.



Snare Mesa Dead/Down Fuelwood Area Glenwood Ranger District

The Snare Mesa Fuelwood area is on the west side of Highway 180, five miles west of Alma, N.M. The area is bounded by County Road 004, County Road 003 and the Arizona state line. Dead and Down Fuelwood gathering is permitted within this area, as specified in the guide. Thinning and Cutting (trees already cut and on the ground) areas, are within these boundaries.

Travel Directions and Area Boundaries

From Glenwood N.M. travel north on Highway 180, approximately 5 miles (MM 47), turn west on County Road 004 for approximately 5 miles, to the junction of County Road 003 and County Road 004. Driving cross country within the pushed or cut areas to retrieve fuelwood is permissible.

The area boundaries are not marked.

The area is not accessible during wet conditions

Cut stems and branches to lie within 2 feet of the ground.

Maps of past and current thinning and cutting areas are available at the Glenwood District office.

Available Wood

Dead and/or Down juniper and pinon trees in thinning and cutting areas.

Standing dead trees or dead & down trees as specified in this guide.

In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, gender identity (including gender expression), sexual orientation, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident.

Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotape, American Sign Language, etc.) should contact the responsible Agency or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program discrimination complaint, complete the USDA Program Discrimination Complaint Form, AD-3027, found online at http://www.ascr.usda.gov/complaint_filing_cust. html and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by: (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or (3) email: program. intake@usda.gov.

USDA is an equal opportunity provider, employer and lender.